

*DRW*

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE


In re Application of: Michael Dallmeyer

Confirmation No.: 8584

Application No.: 10/645,589

Group Art Unit: 3752

Filed: 8/22/2003



For: APPARATUS AND METHOD FOR SETTING INJECTOR LIFT

U.S. Patent and Trademark Office  
Customer Window  
Randolph Building  
401 Dulany Street  
Alexandria, Virginia 22314

**CHANGE OF CORRESPONDENCE ADDRESS**  
**AND ATTORNEY DOCKET NUMBER**

Sir:

Please enter the correspondence address for this application as:

**Siemens Corporation**  
**Intellectual Property Department**  
**170 Wood Avenue South**  
**Iselin, New Jersey 08830**

Please direct all telephone calls to:

**Elsa Keller**  
**Legal Administrator**  
**(732) 321-3026**

or

**Rashmi Raj**  
**Registration No. 50,500**  
**(732) 321-3872**


Please change the attorney docket number to:

**2003P12855US**

Respectfully submitted,  
**MORGAN, LEWIS & BOCKIUS LLP**

Date: 10 June 2005

by: \_\_\_\_\_

  
Scott J. Anchell  
Reg. No. 35,035

**MORGAN, LEWIS & BOCKIUS LLP**  
1111 Pennsylvania Avenue, N.W.  
Washington, D.C. 20004  
Telephone: (202) 739-3000  
Facsimile: (202) 739-3001